

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (previously presented) A method for managing calls directed to a plurality of communications devices associated with a user, comprising:

receiving user-defined preferences regarding handling of calls directed to the plurality of communications devices;

storing the user-defined preferences;

receiving an indication that a first one of the communications devices has moved within wireless communication range of a terminal; and

forwarding calls intended for at least two of the communications devices to a second one of the communications devices in response to receipt of the indication and based on the user-defined preferences.

2. (previously presented) A method as recited in claim 1, wherein receiving an indication comprises receiving an indication using a protocol comprising one of Bluetooth, IEEE 802.11(b) or IEEE 802.11(g).

3. (canceled)

4. (previously presented) A method as recited in claim 1, further comprising:

receiving a second indication that the first communications device has moved outside of wireless communication range of the terminal; and

terminating the forwarding of calls to the second communications device in response to receipt of the second indication; and

forwarding calls intended for at least two of the communications devices to the first communications device in response to receipt of the second indication.

5. (previously presented) A method as recited in claim 1, further comprising:  
receiving an indication that the first communications device has deactivated wireless communication with the terminal.

6. (previously presented) A method as recited in claim 1, wherein the user defined preferences include a preference regarding forwarding calls to the first communications device when the first communications device is not within wireless communication range of the terminal.

7. (canceled)

8. (previously presented) A method as recited in claim 1, wherein the user defined preferences include a preference regarding forwarding a notification regarding a call based on the received indication.

9. (previously presented) A method as recited in claim 8, further comprising:

receiving, in response to the notification, an instruction regarding handling of the call.

10. (previously presented) A method as recited in claim 9, wherein the instruction regarding handling of the call includes an instruction regarding forwarding the call to a user specified device.

11. (previously presented) A system for managing a plurality of communications devices associated with a user, comprising:

at least one processor configured to:

receive user-defined preferences regarding handling of calls directed to each of the communications devices,

store the user-defined preferences,

receive an indication regarding wireless communications between a first communications device and a second communications device, and

forward calls intended for at least two of the communications devices to a third communications device in response to receipt of the indication.

12. (previously presented) A system as recited in claim 11, wherein the at least one processor is configured to receive an indication regarding wireless communications using a protocol comprising at least one of Bluetooth, IEEE 802.11(b), or IEEE 802.11(g).

13. (previously presented) A system as recited in claim 11, wherein the indication indicates that the first communications device has moved within wireless communication range of the second communications device.

14. (previously presented) A system as recited in claim 11, wherein the at least one processor is further configured to:

receive a second indication that the first communications device has moved outside of wireless communication range of the second communications device,

terminate the forwarding of calls intended for the at least two of the communications devices to the third communications device in response to receipt of the second indication, and

forward calls intended for the at least two of the communications devices to the first communications device in response to receipt of the second indication.

15. (previously presented) A system as recited in claim 11, wherein the at least one processor is further configured to receive a second indication that the first communications device has deactivated wireless communication with the second communications device.

16. (previously presented) A system as recited in claim 11, wherein the user defined preferences include a preference indicating that calls intended for at least the third communications device and a fourth communications device are to be forwarded to the first communications device when the first communications device is not within

wireless communication range of the second communications device.

17. (canceled)

18. (previously presented) A system as recited in claim 11, wherein the user defined preferences include a preference regarding forwarding a notification regarding a call based on whether the at least one processor receives an indication regarding wireless communications between the first communications device and the second communications device.

19. (currently amended) A system as recited in claim ~~[[17]]~~ 18, wherein the at least one processor is further configured to:

receive, in response to the notification, an instruction regarding handling of the call.

20. (previously presented) A system as recited in claim 18, wherein the instruction regarding handling of the call includes an instruction regarding forwarding the call to a user specified device.

21. (previously presented) A system for managing calls directed to a plurality of communications devices associated with a user of a communications network, comprising:

means for receiving user-defined preferences regarding handling of calls directed to the plurality of communications devices;

means for receiving an indication regarding wireless communications between a first communications device and a second communications device;

means for forwarding calls intended for at least two of the communications devices to a third communications device when the indication indicates that the first communications device is within range of the second communications device; and

means for forwarding calls intended for at least two of the communications devices to the first communications device when the indication indicates that the first communications device is not within range of the second communications device.

22. (previously presented) A computer-readable medium containing instructions for performing a method for managing calls directed to one or more communications devices associated with a user of a communications network, comprising:

receiving user-defined preferences regarding handling of calls directed to at least one of the communications devices;

storing the user defined preferences;

receiving an indication regarding wireless communications between a first communications device and a second communications device;

forwarding calls intended for at least two of the communications devices to a third communications device when the indication indicates that the first communications device is within range of the second communications device; and

forwarding calls intended for the third communications device to the first communications device when the indication indicates that the first communications device is not within range of the second communications device.